

**CERTIFICATE OF ANALYSIS**

	Test	Results	I-502 Limits	Status	Method	
<b>Date Received:</b> 09/26/2023  <b>Sample Type:</b> Cannabis Flower  <b>Sample Name:</b> S-0186039  <b>AR-Number:</b> R-0153589  <b>Client ID:</b> 417301  <b>UBI Number:</b> WSLCB  <b>Inventory ID:</b> GF41730105524883  <b>Product Name:</b> Bakers Dozen #1	D9-THC	1.1 %			UHPLC-DAD	
	THC-A	26.5 %			UHPLC-DAD	
	Total THC	24.3 %				
	CBN	0.0 %			UHPLC-DAD	
	CBD	0.0 %			UHPLC-DAD	
	CBD-A	0.1 %			UHPLC-DAD	
	Total CBD	0.1 %				
	THC + CBD Total	24.4 %				
	Total Cannabinoids	27.7 %				
	Water Activity	0.49 aw	0.0 - 0.65			Rotronic Probe
	Enterobacteriaceae	<20 CFU/g	0.0 - 10,000.0	pass		3M Petrifilm
	E. coli	0 CFU/g	No Trace	pass		3M MDS
	Salmonella	0 CFU/g	No Trace	pass		3M MDS
	Total Aflatoxins	<3 ng/g	0.0 - 20.0	pass		LC/MS/MS
	Ochratoxin A	<3 ng/g	0.0 - 20.0	pass		LC/MS/MS
	Abamectin	N.D. ppm	0.0 - 0.5	pass		LC/MS/MS
	Acephate	N.D. ppm	0.0 - 0.4	pass		LC/MS/MS
	Acequinocyl	N.D. ppm	0.0 - 2.0	pass		LC/MS/MS
	Acetamiprid	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS
	Aldicarb	N.D. ppm	0.0 - 0.4	pass		LC/MS/MS
Azoxystrobin	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS	
Bifenazate	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS	
Bifenthrin	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS	
Boscalid	N.D. ppm	0.0 - 0.4	pass		LC/MS/MS	
Carbaryl	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS	
Carbofuran	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS	
Chlorantraniliprole	N.D. ppm	0.0 - 0.2	pass		LC/MS/MS	
Chlorfenapyr	N.D. ppm	0.0 - 1.0	pass		LC/MS/MS	

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	<b>Test</b>	<b>Results</b>	<b>I-502 Limits</b>	<b>Status</b>	<b>Method</b>
	Chlorpyrifos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Clofentezine	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Cyfluthrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Cypermethrin	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Daminozide	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Dichlorvos (DDVP)	N.D. ppm	0.0 - 0.1	pass	LC/MS/MS
	Diazinon	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Dimethoate	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Ethoprophos	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Etofenprox	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Etoxazole	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenoxycarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Fenpyroximate	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fipronil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Fonicamid	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Fludioxonil	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Hexythiazox	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Imazalil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Imidacloprid	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Kresoxin-methyl	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Malathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Metalaxyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methiocarb	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methomyl	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Methyl parathion	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	MGK-264	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Myclobutanil	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Naled	N.D. ppm	0.0 - 0.5	pass	LC/MS/MS
	Oxamyl	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Paclobutrazol	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS

**QA Officer:** *Benjamin Hart*

Results only apply to the sample tested and we have no way of verifying it represents the lot.

	Test	Results	I-502 Limits	Status	Method
	Permethrins (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Phosemet	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Piperonyl Butoxide	N.D. ppm	0.0 - 2.0	pass	LC/MS/MS
	Prallethrin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Propiconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Propoxur	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Pyrethrins (Total)	N.D. ppm	0.0 - 1.0	pass	LC/MS/MS
	Pyridaben	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spinosads (total)	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spiromesifen	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spirotetramat	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Spiroxamine	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Tebuconazole	N.D. ppm	0.0 - 0.4	pass	LC/MS/MS
	Thiacloprid	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Thiamethoxam	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Trifloxystrobin	N.D. ppm	0.0 - 0.2	pass	LC/MS/MS
	Stems	0.0 %	0.0 - 5.0	pass	
	Seeds or Other	0.0 %	0.0 - 2.0	pass	
	Hair, Insect Fragment, or Excreta	0.0 ct	=0	pass	

Laboratory ID: 3568-02

Date Tested: 09/28/2023

Published Date: 09/28/2023 17:40:12

**QA Officer:** Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.