

CERTIFICATE OF ANALYSIS

| | Test | Results | I-502 Limits | Status | Method | |
|--|--------------------|-----------|----------------|--------|-----------|----------------|
| Date Received: 07/25/2023 Sample Type: Cannabis Flower Sample Name: S-0183021 AR-Number: R-0150574 Client ID: 417301 UBI Number: WSLCB Inventory ID: GF41730105520144 Product Name: Duct Tape | D9-THC | 1.4 % | | | UHPLC-DAD | |
| | THC-A | 25.5 % | | | UHPLC-DAD | |
| | Total THC | 23.8 % | | | | |
| | CBN | 0.0 % | | | UHPLC-DAD | |
| | CBD | 0.0 % | | | UHPLC-DAD | |
| | CBD-A | 0.1 % | | | UHPLC-DAD | |
| | Total CBD | 0.1 % | | | | |
| | THC + CBD Total | 23.9 % | | | | |
| | Total Cannabinoids | 27.0 % | | | | |
| | Water Activity | 0.51 aw | 0.0 - 0.65 | | | Rotronic Probe |
| | Enterobacteriaceae | <20 CFU/g | 0.0 - 10,000.0 | pass | | 3M Petrifilm |
| | E. coli | 0 CFU/g | No Trace | pass | | 3M MDS |
| | Salmonella | 0 CFU/g | No Trace | pass | | 3M MDS |
| | Total Aflatoxins | <3 ng/g | 0.0 - 20.0 | pass | | LC/MS/MS |
| | Ochratoxin A | <3 ng/g | 0.0 - 20.0 | pass | | LC/MS/MS |
| | Abamectin | N.D. ppm | 0.0 - 0.5 | pass | | LC/MS/MS |
| | Acephate | N.D. ppm | 0.0 - 0.4 | pass | | LC/MS/MS |
| | Acequinocyl | N.D. ppm | 0.0 - 2.0 | pass | | LC/MS/MS |
| | Acetamiprid | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS |
| | Aldicarb | N.D. ppm | 0.0 - 0.4 | pass | | LC/MS/MS |
| Azoxystrobin | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS | |
| Bifenazate | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS | |
| Bifenthrin | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS | |
| Boscalid | N.D. ppm | 0.0 - 0.4 | pass | | LC/MS/MS | |
| Carbaryl | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS | |
| Carbofuran | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS | |
| Chlorantraniliprole | N.D. ppm | 0.0 - 0.2 | pass | | LC/MS/MS | |
| Chlorfenapyr | N.D. ppm | 0.0 - 1.0 | pass | | LC/MS/MS | |

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

| | Test | Results | I-502 Limits | Status | Method |
|--|-------------------|----------|--------------|--------|----------|
| | Chlorpyrifos | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Clofentezine | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Cyfluthrin | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Cypermethrin | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Daminozide | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Dichlorvos (DDVP) | N.D. ppm | 0.0 - 0.1 | pass | LC/MS/MS |
| | Diazinon | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Dimethoate | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Ethoprophos | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Etofenprox | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Etoxazole | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Fenoxycarb | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Fenpyroximate | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Fipronil | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Fonicamid | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Fludioxonil | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Hexythiazox | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Imazalil | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Imidacloprid | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Kresoxin-methyl | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Malathion | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Metalaxyl | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Methiocarb | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Methomyl | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Methyl parathion | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | MGK-264 | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Myclobutanil | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Naled | N.D. ppm | 0.0 - 0.5 | pass | LC/MS/MS |
| | Oxamyl | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Paclobutrazol | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.

| | Test | Results | I-502 Limits | Status | Method |
|--|-----------------------------------|----------|--------------|--------|----------|
| | Permethrins (total) | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Phosemet | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Piperonyl Butoxide | N.D. ppm | 0.0 - 2.0 | pass | LC/MS/MS |
| | Prallethrin | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Propiconazole | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Propoxur | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Pyrethrins (Total) | N.D. ppm | 0.0 - 1.0 | pass | LC/MS/MS |
| | Pyridaben | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spinosads (total) | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spiromesifen | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spirotetramat | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Spiroxamine | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Tebuconazole | N.D. ppm | 0.0 - 0.4 | pass | LC/MS/MS |
| | Thiacloprid | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Thiamethoxam | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Trifloxystrobin | N.D. ppm | 0.0 - 0.2 | pass | LC/MS/MS |
| | Stems | 0.0 % | 0.0 - 5.0 | pass | |
| | Seeds or Other | 0.0 % | 0.0 - 2.0 | pass | |
| | Hair, Insect Fragment, or Excreta | 0.0 ct | =0 | pass | |

Laboratory ID: 3568-02

Date Tested: 07/26/2023

Published Date: 07/27/2023 14:26:33

QA Officer: Benjamin Hart

Results only apply to the sample tested and we have no way of verifying it represents the lot.